


Customize your patient engagement experience, affordably.



COMPLETE TOUCHSCREEN SOLUTIONS THAT SATISFY PATIENTS & STAFF


- Cloud-based GENiO remote content management on medTAB delivers a custom patient TV experience with your brand logo, weblinks to your patient education videos, daily menus, video call software, patient surveys and more.
- PDi makes it affordable and easy to manage with NO ADT integration.
- Not ready to customize? medTAB is simple and scalable out-of-the-box. Choose to setup TV with internet or offer patients expanded entertainment (NO internet required) with pre-loaded TV, games and relaxation.
- Bleach-cleanable and built for infection control, the complete medTAB arm-mounted patient TV system is built by PDi, the largest TV maker in the USA, focused on healthcare since 1980.


med**TV**.

Everything You Need For An Entertainment System Designed Around The Patient



medTAB Device





med**TV**.

68" reach

1400 Series Arm

- Reduces back, neck, and eye strain
- A better audio experience
- Secures your device investment
- Intelligent cable management
- UL-Listed & Antimicrobial

"...severe headaches made it difficult for my father to wear his glasses, but the TV swing arm allowed him to pull the television close and alleviate his boredom between visits from family and friends." – Rich C.

Low-voltage Power Supplies

- Safe, UL-Listed low-voltage
 power supplies
- Ask about PoE



Standard External Power Supply 120 VAC In / 24 VDC Out 2.5 amps PDI-750AS-COLOR






Ten-Tap Power Supply Input 115 VAC/60Hz Selectable Output 28 VAC or 32 VAC PDI-722HE-COLOR



Deliver a consistent, patient education approach, while optimizing staff efficiency.



Secure Mounts for Hospitals, Dialysis, Clinics, Senior Living & More

PDi's innovative designs allow devices to mount to headwalls, counters, ceilings, floors, chairs and more.









Ohio-based PDi Communication Systems, Inc. designs, manufactures and builds more complete arm-mounted bedside entertainment systems than anyone in the industry.

Allow PDi's engineering and experience to help you build the complete patient entertainment solution for your unique project needs.







©2021 PDi Communication Systems, Inc. All rights reserved. Document Number: MAR-MTV-903v13



PDi Communication Systems, Inc. 40 Greenwood Ln. Springboro, OH 45066 **mymedTV.com**

KEY FEATURES



NEW Web-based remote content management using GENiO™



Fully integrated all-in-one touchscreen tablet plus TV, built for healthcare.



RF-HEMiS head-end TV server by PDi

or easy USB cloning makes TV set-up

and updates quick and simple.



)us

Designed, programmed and assembled in the U.S.A.

Built by PDi for UL healthcare-grade,

Standard cabinet color is Starlight

Gray. Ask about Black or Cream.

low-voltage standards.



Continuous, low-voltage power over Coax or Power over Ethernet.

Compatible with PDi arms or available as rear VESA 75x75mm rear-mount for mounting in any situation.



Trust PDi to design, inspect, install, warranty, and repair patient TV systems.

SPECIFICATIONS

| PANEL | medTA | B ¹⁴ medT | AB ¹⁶ | medTAB ¹⁹ |
|---|----------------------|------------------------|------------------|----------------------|
| Diagonal Screen Size | e 14.0" | 15. | 6″ | 18.5″ |
| Display Resolution | 1366x7 | 768 1920x1080 | | 1366x768 |
| Backlight Type | LED | LE | D | LED |
| Contrast Ratio | 500:1 | 800 |):1 | 1000:1 |
| TV STANDARDS | medTA | B ¹⁴ medT | AB ¹⁶ | medTAB ¹⁹ |
| Antenna Input NTSC, ATSC, QAM in the Clear (Air VHF/UHF, CATV, IRC, HRC) | | | | |
| MPEG4 / MPEG2 | | Ye | S | |
| Pro:Idiom® | | Ye | S | |
| Dolby Audio™ | | Ye | S | |
| TV SET-UP FEATURES medTAB ¹⁴ medTAB ¹⁶ medTAB ¹⁹ | | | | |
| Audio Volume Limite | er | | Yes | |
| Internal Speaker Dis | Yes | | | |
| Min/Max Volume Lim | Yes | | | |
| Start/ Power-on Volu | Yes | | | |
| USB or RF-HEMiS TV Firmware Updates | Yes | | | |
| Parental Control (V-0 | Yes | | | |
| Programmable Sour | Yes | | | |
| Password Protected | Yes | | | |
| Channel Enable/Disa Aliasing/Remapping | Yes | | | |
| Closed-captioning | Yes | | | |
| Menu OSD | Yes | | | |
| Factory Reset Yes | | | | |
| POWER | medTAB ¹⁴ | medTAB ¹ | 6 | medTAB ¹⁹ |
| Source | Power over Coax | PoE or Power over C | oax ^F | Power over Coax |
| Max Consumption | 24W | 34W | | 55W |

| Factory Reset | | Yes | | |
|-----------------|----------------------|---------------------------|----------------------|--|
| POWER | medTAB ¹⁴ | medTAB ¹⁶ | medTAB ¹⁹ | |
| Source | Power over Coax | PoE or Power over Coax | Power over Coax | |
| Max Consumption | 24W | 34W | 55W | |

Pro:Idiom





The terms HDMI, HDMI High-Definition Multimedia Interface, and the HDMI Logo are trademarks or registered trademarks of HDMI Licensing Administrator, Inc. Dolby, Dolby Audio, and the double-D symbol are trademarks of Dolby Laboratories. Android is trademark of Google Inc.

medTV and medTAB are trademarks of PDi Communication Systems, Inc. Some screen images are simulated. Dimension and weights are approximate. Design specification and features are subject to change without notice.

| medTAB ¹⁴ | | 4 medTAB ¹⁶ | medTAB ¹⁹ | |
|------------------------------------|--|--|---|--|
| Ethernet | | Yes | | |
| RF Input | | 1 (750hm Unbalanc | ed) | |
| USB | 1, On Back | 2, Patient Facing | 2, Patient Facing | |
| HDMI | | Optional | | |
| Front Headphone | | Yes, 1/8" jack | | |
| Speakers | 2x2W RMS | 2x1.7W RMS | 2x1.7W RMS | |
| CCI | | Optional | | |
| Pillow Speaker | No | Optional | No | |
| REGULATORY | | medTAB ¹⁴ medT | AB ¹⁶ medTAB ¹⁹ | |
| UL/cUL 60065 Anr | nex Q | Ye | S | |
| FCC Title 15, Part | 47, Subpart B | Ye | s | |
| RoHS | | Ye | s | |
| COMPUTER FEAT | URES | medTAB ¹⁴ medT | AB ¹⁶ medTAB ¹⁹ | |
| os | | Android 7.0 |) (Nougat) | |
| CPU | | Arm A53 Quad | Core 1.5GHz | |
| WiFi | | 802.11 b | /g/n/ac | |
| Wireless Audio | | Ye | S | |
| Ethernet | | Ye | S | |
| Touchscreen | | Projected Capacitance | | |
| RAM | | 2GB | | |
| Storage | | 16GB | | |
| Camera/Micropho | ne | N/A Optic | onal Optional | |
| DIMENSIONS | medTAB ¹⁴ | medTAB ¹⁶ | medTAB ¹⁹ | |
| Weight Lbs. (Kg) | 7 lbs (3.2 kg) | 7 lbs (3.2 kg) | 13 lbs (5.9 kg) | |
| Unit Dimension (W/H/D) - Swivel | 14.5" x 14.5" x 1.9" 368 x 368 x 48mm | 15.2″ x 14.8″ x 2.5″ 386 x 376 x 64mm | 20" x 17" x 2.5" 508 x 432 x 64mm | |
| Unit Dimension (W/H/D) - VESA | 14.5" x 11" x 1.9" 368 x 279 x 48mm | 15.2" x 11.3" x 2.5" 386 x 287 x 64mm | 20" x 13.75" x 2.5" 508 x 349 x 64mm | |
| PART NUMBERS | | | | |
| medTAB14D-GB2, No Cam/Mic | | 14" medTAB Android TV-tablet with GENiO, COAX+CAT6(ENET), Starlight Gray, Coax Power | | |
| medTAB16D1-GB2 | - C, with Cam/Mic | 16" medTAB Android TV-tablet with GENIO, COAX+CAT6(ENET), Starlight | | |


19" medTAB Android TV-tablet with medTAB19D-GB2-C, No Cam/Mic GENIO, COAX+CAT6(ENET), Starlight medTAB19D1-GB2-C, with Cam/Mic Gray, Coax Power WTG-medTAB

Premium Warranty

Gray, Coax Power or PoE



Complete Solutions to Customize Your Patient Engagement Experience



19" medTAB Customizable Personal Patient Touchscreen System

Complete PDi Arm System with Individual Power Supply, COAX+CAT6(ENET), Starlight Gray Color

| | Swivel Arm-mounted Solutions | | | | | |
|----------------------|--|---|---|---|--|---|
| | HEADWALL MOUNT | COUNTER MOUNT | RIGHT ANGLE MOUNT | SUPER REACH CEILING MOUNT | HORIZONTAL MOUNT | FLOOR MOUNT |
| | | | | | | |
| 19" HDTV-Tablet | medTAB19D1-GB2-C with Cam/Mic medTAB19D-GB2-C No Cam/Mic Coax-powered 19" All-in-One touchscreen HDTV-Tablet + GENiO. Android™-based OS 7.0. Pro:Idiom. COAX+ENET. | | | | | |
| Support Arm | PDI-AA1413-GB 68" Arm, 5/8" Base Pin, Holds 13 lbs, COAX+CAT6(ENET) | PDI-AA1413-GB 68" Arm, 5/8" Base Pin, Holds 13 lbs, COAX+CAT6(ENET) | PDI-AA1413-GB 68" Arm, 5/8" Base Pin, Holds 13 lbs, COAX+CAT6(ENET) | PDI-AJ1013-GB Extended 48" Reach Ceiling Arm (includes support mount above ceiling) Holds 13 lbs, COAX+CAT6(ENET) | PD153-004-G and PDI-AD1413-GB Great for low ceilings, No upward arm motion, Std 23.5" extension, 31" drop reach. Holds 13 lbs, COAX+CAT6(ENET) | PDI-AA1413-GB 68" Arm, 5/8" Base Pin, Holds 13 lbs, COAX+CAT6 (ENET) |
| Mount | Mount is included in Slim Power Mount (PDI-871-G) | PDI-STM-18AV-G 18" Single Table Mount with Rotational Stops and A/V Plate | PDI1295WRS- AV-G Right Angle Counter Mount with Rotational Stops and A/V Cutout | Mount PDI- AJ1013-GB is Included in Arm | Mount is Included in Slim Power Mount (PDI-871-G) | PDI-886-G 48" tall Floor Mount, 5/8" Base Pin |
| Power Supply | PDI-871-G Slim Power Mount Combo Unit = Mount and Power | PDI-750AS-G Standard External Power Supply | PDI-750AS-G Standard External Power Supply | PDI-750AS-G Standard External Power Supply | PDI-871-G Slim Power Mount Combo Unit = Mount and Power | PDI-750AS-G Standard External Power Supply |
| Optional Accessories | PDI-179RS-G Rotational Stop PDI-255E-G External Backer Plate, 16" OC PDI-254I Internal Backer Plate, 16" OC PD108-420 Programming Remote PD108-421 Patient Remote WTG-medTAB Premium Warranty | PD203-103-G AV Plate, COAX+CAT5 PDI-STM-BP Internal Backer Plate PD108-420 Programming Remote PD108-421 Patient Remote WTG-medTAB Premium Warranty | PD203-103-G AV Plate, COAX+CAT5 PDI-STM-BP Internal Backer Plate PD108-420 Programming Remote PD108-421 Patient Remote WTG-medTAB Premium Warranty | PD108-420 Programming Remote PD108-421 Patient Remote WTG-medTAB Premium Warranty | PDI-179RS-G Rotational Stop PDI-255E-G External Backer Plate, 16"OC PDI-254I Internal Backer Plate, 16"OC PD108-420 Programming Remote PD108-421 Patient Remote WTG-medTAB Premium Warranty | PDI-244DBF-G Dual Rotational Stops PD108-420 Programming Remote PD108-421 Patient Remote WTG-medTAB Premium Warranty |



19" medTAB Customizable Personal Patient Touchscreen System


Complete PDi Arm System with Individual Power Supply, COAX+CAT6(ENET), Starlight Gray Color

| | Rear VESA Mounted Solutions | | | | |
|----------------------|--|--|--|--|--|
| | COMPLETE CEILING MOUNT / HI-TILT | CHAIR MOUNT | MOBILE CART MOUNT | SPACESAVER INFUSION SYSTEM | |
| | | | | | |
| 19" HDTV-Tablet | | medTAB19D1R-GE medTAB19DR-GE Coax-powered, rear-mounted HDTV-Tablet + GENiO. Android™-ba | 32-C No Cam/Mic d 19″ All-in-One touchscreen | , | |
| Support Arm | PDI-AC1413-GB Complete Ceiling Arm (includes support mount above ceiling) 39" arm length, 43" to 68" support length. Holds 13 lbs, COAX+CAT6(ENET) | 24" reach, 75x75, COAX+CAT6(ENET) | 17″ reach, 75x75 and 100x100, COAX+CAT6(ENET) Support arm is included with PDI-MCP mount. | PD168-066 (<i>includes power supply</i>) 17″ reach 75x75 and 100x100 | |
| Mount | Ceiling mount is included in PDI-AC1413-GB arm. PDI68-067 Hi-Tilt Pendant Kit to position TV parallel to bed. | Call for Options. Designs for certain models of Champion Chair, IOA Healthcare Furniture, and La-Z-Boy. | PDI-MCP 48" Mobile medTV cart with integrated cable management and low-voltage power supply. | Mount is included in PD168-066 arm. | |
| Power Supply | PDI-750AS-G Standard External Power Supply | PDI-750AS-G Standard External Power Supply | Low-voltage Power Supply is Included in Mobile Cart | Power Supply is Included in PD168-066 arm. | |
| Optional Accessories | PD108-420 Programming Remote PD108-421 Patient Remote WTG-medTAB Premium Warranty | PD108-420 Programming Remote PD108-421 Patient Remote WTG-medTAB Premium Warranty | PD108-420 Programming Remote PD108-421 Patient Remote WTG-medTAB Premium Warranty | PD108-420 Programming Remote PD108-421 Patient Remote WTG-medTAB Premium Warranty | |



19" medTAB Customizable Personal Patient Touchscreen System

Complete PDi Arm System with Ten-tap Power Supply, COAX+CAT6(ENET), Starlight Gray Color





19"

Document Number: MAR-CAT-807v6 Version 6-102021

19" medTAB Customizable Personal Patient Touchscreen System

Complete PDi Arm System with Ten-tap Power Supply, COAX+CAT6(ENET), Starlight Gray Color





Document Number: MAR-CAT-807v6 Version 6-102021 PDi offers many cable configurations. Standard options are shown below. Remember to order the same cables in PDi arm and medTAB device.

| | PART NUMBER | COLOR | CABLES AND DESCRIPTION | |
|-----------------------------------|---|---------------|---|--|
| | HDTV-TABLET | | | |
| | medTAB19D1-xB2-C x=color B/C/G | Black | COAX+CAT6(ENET). PDi arm-mounted medTAB ¹⁹ with GENiO and Cam/Mic. Power over Coax. | |
| PDi Swivel | PDI-AA1413-xB x=color B/C/G | Cream Gray | 1400 Series Support Arm, 68" reach, Supports 13 lbs for medTAB ¹⁹ . COAX+CAT6(ENET). | |
| Arm-mounted Solutions | HDTV-TABLET with EXTERNAL DEVICES (Gaming Systems, DVD Players, etc.) | | | |
| | medTAB19D1-xH2-C x=color B/C/G | Black | COAX+CAT6(ENET)+HDMI. PDi arm-mounted medTAB ¹⁹ with GENiO and Cam/Mic. Power over Coax. | |
| | PDI-AA1413-xH x=color B/C/G | Cream Gray | 1400 Series Support Arm, 68" reach, Supports 13 lbs for medTAB ¹⁹ . COAX+CAT6(ENET)+HDMI. | |
| Rear VESA Mounted Solutions | medTAB19D1R-xB2-C x=color B/C/G | Black | Rear VESA medTAB ¹⁹ with GENiO and Cam/Mic. COAX+CAT6(ENET). Power over Coax. | |
| | medTAB19D1R-xH2 x=color B/C/G | Cream Gray | Rear VESA medTAB ¹⁹ with GENiO and Cam/Mic. COAX+CAT6(ENET)+HDMI. | |

Please call 800.628.9870 for additional configurations.

PDi Individual Low-voltage Power Supplies Individual Slim Individual Power Mount, External Starlight Gray Power Supply, PDI-871-G Starlight Gray PDI-750AS-G PDi 10-Tap Central Power Supplies Color Options 1 RF Input/ 10 RF Inputs/ 10 RF ACTV 10 RF ACTV Outputs Outputs **PDI-772HE** PDI-772HE-IND Starlight Gray, - For use with Cream, Black PDi Minimods -Ask about Power over Ethernet (POE) TV Options







Document Number: MAR-CAT-807v6 Version 6-1Q2021